

THE HIGHEST QUALITY FASTENERS AVAILABLE



PRODUCT GUIDE

www.SureDrive.com





SURE DRIVE USA® IS PART OF A LARGE GROUP OF FASTENER MANUFACTURERS AND OFFERS A WIDE VARIETY OF STANDARD AND SPECIALTY FASTENERS FOR A VARIETY OF INDUSTRIES.

Since its inception in 1978, Sure Drive USA® has supplied the highest quality fasteners available to lumber yards, home centers and wholesale distribution companies throughout the United States, Canada and Mexico. We stock and distribute a wide variety of construction fasteners, woodworking fasteners, specialty tools and deck fastening systems. Some of our most popular items are our Rustguard® Decking screws, Seamaster® Stainless Steel screws, Sure Drive CCDS™ Composite Deck screws, Shadoe® Track under deck fastening system, The Hidden Link™ concealed deck fasteners, Mantis® Clip concealed deck fasteners, Copperguard® ACQ approved fasteners and our encompassing screw line that includes Wood screws, Drywall screws, Cement Board screws, Concrete screws, and many more.



www.SureDrive.com



TABLE OF CONTENTS

1

RustGuard™ Exterior Screws

- Star Drive Bugle Head
- Square Drive Trim Head



2

RustGuard™ Exterior Screws

- Phillips Drive Bugle Head



3

CopperGuard™ Deck Screws

- Star Drive Bugle Head Red
- Star Drive Bugle Head Tan



4

SeaMaster® Stainless Steel

- Star Drive Bugle Head
- Star Drive Trim Head



5

Drillcrete® Concrete Screws

- Phillips Drive Bugle Head
- Hex Drive Washer Head



6

Cement Board Screws

- Star Drive HiLo
- Star Drive Self-Drilling



7

Drywall Screws

- Phillips Drive Fine Thread
- Phillips Drive Coarse Thread



8

Specialty Drywall Screws

- Phillips Drive T-17
- Phillips Drive Self-Drilling



9

Interior Wood Screws

- Phillips Drive Zinc
- Phillips Drive Gold Zinc



10

Interior Trim Head Screws

- Square Drive Black
- Square Drive Yellow Zinc
- Square Drive SD Yellow Zinc



11


Framing Screws

- Modified Washer Head T-17
- Modified Washer Head
- Self-Drilling



12

CapSure® Composite Deck Screws



13

Mantis™ Coated Steel Concealed Deck Fasteners



14

Mantis™ Coated SS Concealed Deck Fasteners



15

Coyote™ Concealed Deck Fasteners



16

Hidden Link® Concealed Deck Fasteners



17

Sure-Hold™ Fascia Board Screws



18

Shadoe® Track Concealed Deck System



TRG

Bugle Head Exterior Screw "TRG"

- Type-17 self-drilling point
- Star Drive



ACQ
Compatible

Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	DecPak™ (Qty.)	BULK (Qty.)	App. Qty. / Pound
8 x 1-1/4"	T-20	Type-17		114TRG12	114TRG1	114TRG3				232
8 x 1-5/8"	T-20	Type-17		158TRG12	158TRG1	158TRG3				231
8 x 2"	T-20	Type-17		2TRG12	2TRG1	2TRG3	2TRG5	2TRGDECPAK (1600)	2TRG (3500)	159
8 x 2-1/2"	T-25	Type-17		212TRG12	212TRG1	212TRG3		212TRGDECPAK (1000)	212TRG (2500)	95
9 x 3"	T-25	Type-17		3TRG12	3TRG1	3TRG3	3TRG5	3TRGDECPAK (800)	3TRG (2000)	84
10 x 3-1/2"	T-25	Type-17			312TRG1	312TRG3	312TRG5	312TRGDECPAK (500)	312TRG (1000)	58
10 x 4"	T-25	Type-17			4TRG1	4TRG3	4TRG5		4TRG (1000)	51
10 x 5"	T-25	Type-17			5TRG1	5TRG3			5TRG	40
10 x 6"	T-25	Type-17			6TRG1		6TRG5		6TRG	33

THRG

Trim Head Exterior Screw "THRG"

- Small Trim Head
- Square Drive



ACQ
Compatible

Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	DecPak™ (Qty.)	BULK (Qty.)	App. Qty. / Pound
6 x 1-5/8"	#1 Square	Sharp			158THRG1	158THRG3	158THRG5		158THRG (5000)	256
6 x 2-1/4"	#1 Square	Sharp			214THRG1	214THRG3	214THRG5		214THRG (3000)	190
8 x 3"	#1 Square	Sharp			3THRG1	3THRG3			3THRG (2000)	103



Call Toll Free to Order

1-866-767-1850

Toll Free FAX 1-828-466-0070

Email: sales@SureDrive.com

Bugle Head Exterior Screw “RG”

- Type-17 self-drilling point
- Self countersinking nibs



ACQ
Compatible

RG

Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	DecPak™ (Qty.)	BULK (Qty.)	App. Qty. / Pound
6 x 1"	#2 Phillips	Type-17	1RGBP	1RG12	1RG1	1RG3			1RG (10000)	354
6 x 1-1/4"	#2 Phillips	Type-17	114RGBP	114RG12	114RG1	114RG3	114RG5		114RG (8000)	298
6 x 1-5/8"	#2 Phillips	Type-17	158RGBP	158RG12	158RG1	158RG3	158RG5		158RG (5000)	231
7 x 2"	#2 Phillips	Type-17	2RGBP	2RG12	2RG1	2RG3	2RG5	2PDECPAK (1600)	2RG (3500)	158
8 x 2-1/2"	#2 Phillips	Type-17	212RGBP	212RG12	212RG1	212RG3	212RG5	212PDECPAK (1000)	212RG (2500)	109
9 x 3"	#2 Phillips	Type-17	3RGBP	3RG12	3RG1	3RG3	3RG5	3PDECPAK (800)	3RG (2000)	85
10 x 3-1/2"	#2 Phillips	Type-17			312RG1	312RG3	312RG5	312PDECPAK (500)	312RG (1000)	56
10 x 4"	#2 Phillips	Type-17			4RG1	4RG3			4RG (1000)	51

Our exclusive Rustguard™ coating is designed to protect against rust and corrosion. This coating has been successfully tested against 1800 hours of salt spray (ASTM B117). Our "TRG" and "RG" screws are made with selfcountersinking nibs and a Type-17 point. All Rustguard™ screws are made of case hardened 1018-1022 steel.

What does all this mean for you:

- No staining and streaking (not for redwood decking)
- No splitting in most woods
- 1-step self-countersinking
- Exceptional holding power
- Optimal driving torque
- Dull gray color blends with most pressure treated lumber

Technical Data Available Online

www.SureDrive.com

***Due to manufacturing guidelines, weights and bucket counts are approximate.**

Flat Head Wood Decking Screw “TCGRED” & “TCGTAN”

- Countersinking nibs
- Color match for treated lumber and redwood
- Star Drive
- Woodmaster® threads



Size	Drive	Point	1 Pound	3 Pound	5 Pound	DecPak™ (Qty.)	App. Qty. / Pound
8 x 1-1/4"	T-25	Woodmaster®	114TCGTAN1 114TCGRED1	114TCGTAN3 114TCGRED3			219
8 x 1-5/8"	T-25	Woodmaster®	158TCGTAN1 158TCGRED1	158TCGTAN3 158TCGRED3			185
8 x 2"	T-25	Woodmaster®	2TCGTAN1 2TCGRED1	2TCGTAN3 2TCGRED3	2TCGRED5		140
8 x 2-1/2"	T-25	Woodmaster®	212TCGTAN1 212TCGRED1	212TCGTAN3 212TCGRED3		212TCGREDDECPAK(1100)	113
9 x 3"	T-25	Woodmaster®	3TCGTAN1 3TCGRED1	3TCGTAN3 3TCGRED3	3TCGTAN5 3TCGRED5	3TCGTANDECPAK(800) 3TCGREDDECPAK(800)	
10 x 3-1/2"	T-25	Woodmaster®	312TCGTAN1 312TCGRED1	312TCGTAN3 312TRGRED3		312TCGTANDECPAK(500) 312TCGREDDECPAK(500)	62

Our CopperGuard™ deck screws have been continuously tested for over 18 months in ACQ™ treated wood in a variety of accelerated test environments to ensure our coating lives up to your expectations. Our coating is an organic polymer duplex system that was one of the first to be approved for copper based treatments such as ACQ™. We also use our Woodmaster® five-sided cutter thread design for faster drive time and increased holding power when compared to Type-17 points. We offer our CopperGuard™ deck screws in Tan and Red to match the color of your treated lumber project. Try CopperGuard™ deck screws on your next outdoor project:

- Decks and patios
- Docks and gazebos
- Fences and lattice
- Outdoor furniture, etc...

Patented
Woodmaster®
cutter
thread design.



Call Toll Free to Order

1-866-767-1850

Toll Free FAX 1-828-466-0070

Email: sales@SureDrive.com

*Due to manufacturing guidelines, weights and bucket counts are approximate.

Bugle Flat Head Stainless Steel Screws “TSEA”

- Countersinking nibs
- 305 Stainless Steel



Size	Drive	Point	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
7 x 1-1/4"		Type-17	114TSEA1	114TSEA3		114TSEA (8000)	245
7 x 1-5/8"		Type-17	158TSEA1	158TSEA3		158TSEA (5000)	204
8 x 2"		Type-17	2TSEA1	2TSEA3		2TSEA (3500)	133
10 x 2-1/2"		Type-17	212TSEA1	212TSEA3		212TSEA (2500)	87
10 x 3"		Type-17	3TSEA1	3TSEA3	3TSEA5	3TSEA (2000)	66
10 x 3-1/2"		Type-17	312TSEA1	312TSEA3		312TSEA (1000)	57
10 x 4"		Type-17	4TSEA1	4TSEA3		4TSEA (500)	50
10 x 5"		Type-17	5TSEA1	5TSEA3		5TSEA (500)	30

TSEA

Trim Head Stainless Steel Screws “TPAU”

- Small trim head
- 305 Stainless Steel



Size	Drive	Point	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
7 x 1-5/8"	T-15	Type-17	158TPAU1	158TPAU3		158TPAU (5000)	190
7 x 2-1/4"	T-15	Type-17	214TPAU1	214TPAU3		214TPAU (3000)	146
8 x 3"	T-15	Type-17	3TPAU1	3TPAU3	3TPAU5	3TPAU (2000)	103

TPAU

For the “ultimate” in corrosion protection use our Seamaster® line. We have added many features to this fastener, making it one of our most popular products. We use only high grade 305 stainless steel to produce our Seamaster® line. We start with an aggressive coarse thread design and a Type-17 self-drilling cutter point to reduce driving torque and eliminates splitting and bursting. For both our bugle flat head “TSEA” and trim head “TPAU” we added self-countersinking nibs to eliminate the need for pre-boring. If you want the highest quality fastener available for use in your outdoor project, our Seamaster® is second to none.

Full line of 316 Stainless Steel available through Big Timber Construction Fasteners



*Due to manufacturing guidelines, weights and bucket counts are approximate.

MSP

Flat Phillips head concrete screws “MSP”

- Blue Fluorocarbon coating
- High carbon content



Size	Drive	Point	Bonus Pack	1 Pound	App. Qty. / Pound
1/4" x 1-1/4"	#3 Phillips	HiLo	14114MSP		81
1/4" x 1-3/4"	#3 Phillips	HiLo	14134MSP	14134MSP1	63
1/4" x 2-1/4"	#3 Phillips	HiLo	14214MSP	14214MSP1	50
1/4" x 2-3/4"	#3 Phillips	HiLo	14234MSP	14234MSP1	42
1/4" x 3-1/4"	#3 Phillips	HiLo		14314MSP1	35
3/16" x 1-1/4"	#2 Phillips	HiLo	316114MSP	316114MSP1	147
3/16" x 1-3/4"	#2 Phillips	HiLo	316134MSP	316134MSP1	110
3/16" x 2-1/4"	#2 Phillips	HiLo	316214MSP		84
3/16" x 2-3/4"	#3 Phillips	HiLo		316234MSP1	71
3/16" x 3-1/4"	#2 Phillips	HiLo	316314MSP		56

Our line of Drillcrete® concrete screws, with their full body shanks, offer superior holding power over tapered shank concrete screws on the market. These screws aren't just painted for looks; we use a specially formulated flouorocarbon coating that passes a 25 Kesternich cycle corrosion test with less than 5% red rust (DIN 50018, 2.) Available in 3/16" and 1/4" diameters and in lengths 1-1/4" to 3-1/4" in Flat Phillips and Hex Washer Slotted head styles.

- Blue Fluorocarbon coating is 10 times more corrosive resistant than zinc.
- Quicker than expansion anchors, powder actuated fasteners, plugs, drop-ins, sleeve and wedge anchors.
- High pull-out values.

MSH

Hex Washer Slotted concrete screws “MSH”

- Blue Fluorocarbon coating
- High carbon content



Size	Drive	Point	Bonus Pack	1 Pound	App. Qty. / Pound
1/4" x 1-1/4"	Hex Head	HiLo	14114MSH	14114MSH1	81
1/4" x 1-3/4"	Hex Head	HiLo	14134MSH	14134MSH1	63
1/4" X 2-1/4"	Hex Head	HiLo	14214MSH	14214MSH1	50
1/4" x 2-3/4"	Hex Head	HiLo	14234MSH	14234MSH1	42
1/4" x 3-1/4"	Hex Head	HiLo	14314MSH	14314MSH1	35
3/16" x 1-1/4"	Hex Head	HiLo	316114MSH	316114MSH1	147
3/16" x 1-3/4"	Hex Head	HiLo	316134MSH	316134MSH1	110
3/16" x 2-1/4"	Hex Head	HiLo	316214MSH		84
3/16" x 3-1/4"	Hex Head	HiLo	316314MSH		60

Drillcrete® concrete screw Installation:

Using a carbide tip SDS or straight shank drill bit, pre-drill a hole a minimum of 1/2" deeper than fastener embedment. Use 5/32" drill bit for 3/16" diameter fasteners, a 3/16" drill bit for 1/4" diameter fasteners. The fastener is then driven into the pilot hole using a standard hammer drill. No shield or sleeve is required because the Drillcrete® concrete screws tap into its own thread.

Masonry Drill Bit Included w/ 1 pound boxes

*Due to manufacturing guidelines, weights and bucket counts are approximate.

Wafer Head screw for cement board "THLR"

- Hi-Lo thread for wood studs
- Cutting nibs



Size	Drive	Point	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
9 x 1-1/4"	T-25	Hi-Lo	114THLR1	114THLR3		114THLR (5000)	178
9 x 1-5/8"	T-25	Hi-Lo	158THLR1	158THLR3	158THLR5	158THLR (4000)	136
9 x 2-1/4"	T-25	Hi-Lo	214THLR1	214THLR3		214THLR (2000)	102

THLR

Wafer Head screw for cement board "TSDR"

- Self Drill tip for steel studs
- Cutting nibs



Size	Drive	Point	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
8 x 1-1/4"	T-25	Self-Drilling	114TSDR1	114TSDR3			
8 x 1-5/8"	T-25	Self-Drilling	158TSDR1	158TSDR3			
8 x 2-1/4"	T-25	Self-Drilling	214TSDR1	214TSDR3			

TSDR

Fasten cement board like Durock® and HardieBacker® easily with our Cement Board Screws. They come in two thread designs: Coarse Hi-Lo for wood studs and Self-Drilling for metal studs. Both designs feature a large wafer head with self-countersinking nibs for exceptional holding power and one-step installation. In addition both are coated using a special process that results in less than 5% red rust when exposed to 1000 hours of salt spray.



Call Toll Free to Order

1-866-767-1850

Toll Free FAX 1-828-466-0070

Email: sales@SureDrive.com

*Due to manufacturing guidelines, weights and bucket counts are approximate.

DWC

Bugle Head Coarse Thread Drywall Screws "DWC"

- Case hardened
- Black phosphate



Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 Gallon	Bulk (Qty.)	App. Qty. / Pound
6 x 1-1/4"	#2 Phillips	Sharp			114DWC1		114DWC5		114DWC (8000)	285
6 x 1-5/8"	#2 Phillips	Sharp			158DWC1		158DWC5		158DWC (5000)	235
7 x 2"	#2 Phillips	Sharp			2DWC1		2DWC5		2DWC (3500)	166
8 x 2-1/2"	#2 Phillips	Sharp			212DWC1		212DWC5		212DWC (2500)	114
8 x 3"	#2 Phillips	Sharp			3DWC1		3DWC5		3DWC (2000)	86
10 x 3-1/2"	#2 Phillips	Sharp							312DWC (1000)	59

DW

Bugle Head Fine Thread Drywall Screws "DW"

- Case hardened
- Black phosphate



Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 Gallon	Bulk (Qty.)	App. Qty. / Pound
6 x 1"	#2 Phillips	Sharp			1DW1	1DW3			1DW (10000)	334
6 x 1-1/4"	#2 Phillips	Sharp	114DWBP		114DW1	114DW3	114DW5	114DW1GAL	114DW (8000)	286
6 x 1-5/8"	#2 Phillips	Sharp	158DWBP	158DW12	158DW1	158DW3	158DW5	158DW1GAL	158DW (5000)	232
7 x 2"	#2 Phillips	Sharp	2DWBP	2DW12	2DW1	2DW3			2DW (3500)	192
8 x 2-1/2"	#2 Phillips	Sharp		212DW12	212DW1	212DW3			212DW (2500)	113
8 x 3"	#2 Phillips	Sharp			3DW1	3DW3			3DW (2000)	94
10 x 3-1/2"	#2 Phillips	Sharp							312DW (1000)	59

Sure Drive USA® offers a range of drywall fasteners manufactured for the professional builder, DIY market, and home hobbyist. We offer Coarse "DWC", Fine "DW", Type-17 "CDW" and Self-Drilling "S12" thread design drywall screws with a black phosphate coating that is ideal for interior applications. These multi-use Drywall Screws can be used for fastening a combination of woods, metals, plastics, fiberglass and more. The bugle head design countersinks neatly into drywall without tearing the paper and eliminates unsightly nail head pops. Our Drywall Screws are made in an ISO 9002 factory from 1022 case hardened steel and feature rolled threads for exceptional strength and holding power. Available in #6, #7, #8, and #10 diameters in lengths from 1" to 3-1/2".

*Due to manufacturing guidelines, weights and bucket counts are approximate.

Bugle Head T-17 Drywall Screws "CDW"

- Coarse thread
- Black phosphate



CDW

Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 GAL	BULK (Qty.)	App. Qty. / Pound
6 x 3/4"	#2 Phillips	Type-17		34CDW12	34CDW1					443
6 x 1"	#2 Phillips	Type-17	1CDWBP	1CDW12	1CDW1	1CDW3			1CDW (10000)	354
6 x 1-1/4"	#2 Phillips	Type-17	114CDWBP	114CDW12	114CDW1	114CDW3	114CDW5	114CDW1GAL	114CDW (8000)	285
6 x 1-5/8"	#2 Phillips	Type-17	158CDWBP	158CDW12	158CDW1	158CDW3	158CDW5	158CDW1GAL	158CDW (5000)	235
7 x 2"	#2 Phillips	Type-17	2CDWBP	2CDW12	2CDW1	2CDW3	2CDW5	2CDW1GAL	2CDW (3500)	163
8 x 2-1/2"	#2 Phillips	Type-17	212CDWBP	212CDW12	212CDW1	212CDW3	212CDW5	212CDW1GAL	212CDW (2500)	114
8 x 3"	#2 Phillips	Type-17	3CDWBP	3CDW12	3CDW1	3CDW3	3CDW5	3CDW1GAL	3CDW (2000)	93
10 x 3-1/2"	#2 Phillips	Type-17		312CDW12	312CDW1	312CDW3	312CDW5		312CDW (1000)	59
10 x 4"	#2 Phillips	Type-17		4CDW12	4CDW1	4CDW3	4CDW5		4CDW (750)	52
10 x 5"	#2 Phillips	Type-17			5CDW1	5CDW3			5CDW (750)	40
10 x 6"	#2 Phillips	Type-17			6CDW1	6CDW3			6CDW (500)	33

Bugle Head Self Drilling Drywall Screws "S12"

- Fine thread
- Black phosphate



S12

Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 GAL	BULK (Qty.)	App. Qty. / Pound
6 x 1"	#2 Phillips	Self Drilling	1S12BP	1S1212	1S121	1S123			1S12 (10000)	326
6 x 1-1/4"	#2 Phillips	Self Drilling	114S12BP	114S1212	114S121	114S123			114S12 (8000)	260
6 x 1-5/8"	#2 Phillips	Self Drilling	158S12BP	158S1212	158S121	158S123			158S12 (5000)	214
6 x 2"	#2 Phillips	Self Drilling	2S12BP	2S1212	2S121	2S123			2S12 (3500)	182
8 X 2-3/8"	#2 Phillips	Self Drilling	238S12BP	238S1212	238S121	238S123			238S12 (2500)	106
8 X 2-5/8"	#2 Phillips	Self Drilling	258S12BP	258S1212	258S121	258S123			258S12 (2000)	98
8 x 3"	#2 Phillips	Self Drilling	3S12BP	3S1212	3S121	3S123			3S12 (2000)	94

Self-Drilling Drywall Screws "S12" can be used in 12 to 20 gauge studs. We recommend a high torque driver with 2500 rpm or less fitted with a clutch for optimum performance.

WB

Interior Bugle Head Wood Screws "WB"

- Zinc
- Case hardened
- Type-17 self-drilling point



Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 Gallon (Qty.)	BULK (Qty.)	App. Qty. / Pound
6 x 3/4"	#2 Phillips	Type-17	34WBBP		34WB1				34WB (15000)	454
6 x 1"	#2 Phillips	Type-17	1WBBP	1WB12	1WB1	1WB3			1WB (10000)	362
6 x 1-1/4"	#2 Phillips	Type-17	114WBBP	114WB12	114WB1	114WB3			114WB (8000)	290
6 x 1-5/8"	#2 Phillips	Type-17	158WBBP	158WB12	158WB1	158WB3			158WB (5000)	227
7 x 2"	#2 Phillips	Type-17	2WBBP	2WB12	2WB1	2WB3		2WB1GAL (1600)	2WB (3500)	158
8 x 2-1/2"	#2 Phillips	Type-17	212WBBP	212WB12	212WB1	212WB3		212WB1GAL (1000)	212WB (2500)	109
8 x 3"	#2 Phillips	Type-17	3WBBP	3WB12	3WB1	3WB3			3WB (2000)	85
10 x 3-1/2"	#2 Phillips	Type-17		312WB12	312WB1	312WB3			312WB (1000)	56
10 x 4"	#2 Phillips	Type-17		4WB12	4WB1	4WB3			4WB (1000)	51

GWB

Interior Bugle Head Wood Screws "GWB"

- Yellow zinc
- Case hardened
- Type-17 self-drilling point



Size	Drive	Point	Bonus Pack	1/2 Pound	1 Pound	3 Pound	5 Pound	1 Gallon (Qty.)	BULK (Qty.)	App. Qty. / Pound
6 x 1"	#2 Phillips	Type-17			1GWB1				1GWB (10000)	340
6 x 1-1/4"	#2 Phillips	Type-17			114GWB1	114GWB3	114GWB5		114GWB (8000)	275
6 x 1-5/8"	#2 Phillips	Type-17			158GWB1	158GWB3	158GWB5		158GWB (5000)	223
7 x 2"	#2 Phillips	Type-17			2GWB1	2GWB3	2GWB5	2GWB1GAL (1600)	2GWB (3500)	185
8 x 2-1/2"	#2 Phillips	Type-17			212GWB1	212GWB3	212GWB5	212GWB1GAL (1000)	212GWB (2500)	109
8 x 3"	#2 Phillips	Type-17			3GWB1	3GWB3	3GWB5	3GWB1GAL (700)	3GWB (2000)	91
8 x 3-1/2"	#2 Phillips	Type-17			312GWB1	312GWB3			312GWB (1000)	57

Our Wood Screw line was designed as the ultimate multi-purpose screw. The bugle head design countersinks consistently and neatly, and our deep recesses provide maximum bit fit. The Type-17 cutter point is designed to pre-drill the screw and eliminate splitting problems. With 1018-1022 case hardened material and rolled coarse threads provide maximum strength and holding power in a variety of different materials. Available in both zinc and yellow zinc finishes.

***Due to manufacturing guidelines, weights and bucket counts are approximate.**

Interior Trim Screws

Small Trim Head Screws

Interior Small Trim Head Screw “TH”

- Square drive
- Black phosphate



Size	Drive	Point	Bonus Pack	1 Pound	3 Pound	BULK (Qty.)	App. Qty. / Pound
6 x 1-5/8"	#1 Square	Sharp	158THBP	158TH1	158TH3	158TH (5000)	256
6 x 2-1/4"	#1 Square	Sharp	214THBP	214TH1	214TH3	214TH (3000)	190
8 x 3"	#1 Square	Sharp		3TH1	3TH3	3TH (2000)	103

TH

Interior Small Trim Head Screw “GTH”

- Square drive
- Yellow Zinc



Size	Drive	Point	Bonus Pack	1 Pound	3 Pound	BULK (Qty.)	App. Qty. / Pound
6 x 1-5/8"	#1 Square	Sharp		158GTH1		158GTH (5000)	256
6 x 2-1/4"	#1 Square	Sharp		214GTH1	214GTH3	214GTH (3000)	190
8 x 3"	#1 Square	Sharp		3GTH1	3GTH3	3GTH (2000)	103

GTH

Interior Small Trim Head Screws “GTHS12”

- Self-drilling
- Yellow Zinc



Size	Drive	Point	Bonus Pack	1 Pound	3 Pound	BULK (Qty.)	App. Qty. / Pound
6 x 1-5/8"	#1 Square	Self-Drilling		158GTHS121			226
6 x 2-1/4"	#1 Square	Self-Drilling		214GTHS121		214GTHS12 (3000)	166
8 x 3"	#1 Square	Self-Drilling		3GTHS121		3GTHS12 (2000)	88

GTHS12

Our Trim Head Screws are designed for applications in which the head needs to be as small as possible. These screws resemble finishing nails in both appearance and function. The head of a #4 screw is used on a #6 or #7 screw, permitting the screw to countersink itself like a finishing nail. The small head size allows it to be used to discreetly attach moulding and trim to millwork, cabinetry and crafts. Available in Zinc “TH”, Yellow Zinc “GTH” and Self-Drilling Yellow Zinc “GTHS12”.

F

Interior Washer Head Framing Screw “F”

- Type-17 point
- Case hardened
- Zinc plated



Size	Drive	Point	Bonus Pack	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
8 x 1/2"	#2 Phillips	Type-17	12FBP	12F1	12F3		12F (10000)	327
8 x 3/4"	#2 Phillips	Type-17	34FBP	34F1	34F3		34F (8000)	240
8 x 1"	#2 Phillips	Type-17	1FBP	1F1	1F3		1F (5000)	190
8 x 1-1/4"	#2 Phillips	Type-17	114FBP	114F1	114F3	114F5	114F (5000)	151
8 x 1-5/8"	#2 Phillips	Type-17	158FBP	158F1	158F3	158F5	158F (4000)	148
8 x 2"	#2 Phillips	Type-17	2FBP	2F1	2F3	2F5	2F (3000)	131
8 x 3"	#2 Phillips	Type-17	3FBP	3F1	3F3		3F (2000)	76

FT

Interior Washer Head Framing Screw “FT”

- Self-drilling point
- Case hardened
- Zinc plated



Size	Drive	Point	Bonus Pack	1 Pound	3 Pound	5 Pound	BULK (Qty.)	App. Qty. / Pound
8 x 1/2"	#2 Phillips	Self-Drilling	12FTBP	12FT1	12FT3		12FT (10000)	270
8 x 3/4"	#2 Phillips	Self-Drilling	34FTBP	34FT1	34FT3		34FT (10000)	209
8 x 1"	#2 Phillips	Self-Drilling	1FTBP	1FT1	1FT3		1FT (5000)	178
8 x 1-1/4"	#2 Phillips	Self-Drilling	114FTBP	114FT1	114FT3		114FT (5000)	151
8 x 1-5/8"	#2 Phillips	Self-Drilling	158FTBP	158FT1	158FT3		158FT (4000)	122
8 x 2"	#2 Phillips	Self-Drilling	2FTBP	2FT1	2FT3		2FT (2000)	112

Our Framing Screws are made with a modified round washer head that is similar to screws known as a K-lath screws. Like the K-lath screw our framing screws can be used for attaching wire lath to wood or 20 gauge metal studs. Our Framing Screw “F” has an extra sharp point for self-piercing metal and a Type-17 cutter point to decrease driving torque. Our Self-Drilling Framing Screw “FT” is made with all the great features of our Framing Screw but has a #2 self-drilling point to drill through steel as thick as .125”

*Due to manufacturing guidelines, weights and bucket counts are approximate.

Composite Deck Screws “CCDS”

- Type-17 point
- Deep Tri-Thread Design

Size	Drive	Point	Color	100 Count	500 Count	Bulk (Qty.)	App. Qty. / Pound
9 x 2-1/2"	T-20	Type-17	Brown	212CCDS100B	212CCDS500B	212CCDSB (2000)	
9 x 2-1/2"	T-20	Type-17	Gray	212CCDS100G	212CCDS500G	212CCDSG (2000)	
9 x 2-1/2"	T-20	Type-17	Red	212CCDS100R	212CCDS500R	212CCDSR (2000)	
9 x 2-1/2"	T-20	Type-17	Tan	212CCDS100T	212CCDS500T	212CCDST (2000)	
9 x 3"	T-20	Type-17	Brown	3CCDS100B	3CCDS500B	3CCDSB (1500)	
9 x 3"	T-20	Type-17	Gray	3CCDS100G	3CCDS500G	3CCDSG (1500)	
9 x 3"	T-20	Type-17	Red	3CCDS100R	3CCDS500R	3CCDSR (1500)	
9 x 3"	T-20	Type-17	Tan	3CCDS100T	3CCDS500T	3CCDST (1500)	



CapSure® Capstock Composite Deck Screws

New improved thread design drills easier with **LESS MUSHROOMING** in composite lumber.

- T-20 Star Drive eliminates driver bit camout
- Trim Undercut Head traps loose material while countersinking
- Top Threads push composite material back into the deck - No Mushrooming
 - Deep Tri-Thread Design for superior holding value
 - Type-17 Point for quick start

Colors Available:

- Gray
- Tan
- Red
- Brown

Mantis Black Coated Steel w/ Hand Drive Screws

Part#	Package Contents	Fastener Type	Coverage
MANTIS396	90 Mantis 396 Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS385	90 Mantis 385 Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS345	90 Mantis 345 Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTISTRX	90 Mantis TRX Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS320	90 Mantis 320 Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS396-DECPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS385-DECPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS345-DECPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTISTRX-DECPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS320-DECPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft

Mantis Black Coated Steel w/ Pneumatic Nail Screws

Part#	Package Contents	Fastener Type	Coverage
MANTIS396-PACK90	90 Mantis 396 Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS385-PACK90	90 Mantis 385 Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS345-PACK90	90 Mantis 345 Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTISTRX-PACK90	90 Mantis TRX Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS320-PACK90	90 Mantis 320 Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS396-CPACK	450 Mantis 396 Deck Clips, 500 Nail Screws	Hand Drive Screw	250 Sq Ft
MANTIS385-CPACK	450 Mantis 396 Deck Clips, 500 Nail Screws	Hand Drive Screw	250 Sq Ft
MANTIS345-CPACK	450 Mantis 396 Deck Clips, 500 Nail Screws	Hand Drive Screw	250 Sq Ft
MANTISTRX-CPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS320-CPACK	450 Mantis 396 Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft

Mantis Accessories Coated Black Steel

Part#	Package Contents	Fastener Type	Coverage
MANTISSTART396	25 Mantis 396 Start Clips w/ Hand Drive Screws	Hand Drive Screw	50 Sq Ft
MANTISSTART385	25 Mantis 385 Start Clips w/ Hand Drive Screws	Hand Drive Screw	50 Sq Ft
MANTISSTART345	25 Mantis 345 Start Clips w/ Hand Drive Screws	Hand Drive Screw	50 Sq Ft
MANTISSTARTTRX	25 Mantis TRX Start Clips w/ Hand Drive Screws	Hand Drive Screw	50 Sq Ft
MANTISSTART320	25 Mantis 320 Start Clips w/ Hand Drive Screws	Hand Drive Screw	50 Sq Ft
MANTIS385TRAN25	25 Mantis Transition Clips for Pic Frame & Repair w/ Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTISFIN25	25 Mantis Finish Clips w/ Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS90PACK-SCREWS	90 Mantis Hand Drive Screws	Hand Drive Screw	250 Sq Ft



Mantis Black Coated Stainless Steel w/ Hand Drive Screws

Part#	Package Contents	Fastener Type	Coverage
MANTIS396SS	90 Mantis 396SS Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS345SS	90 Mantis 345SS Deck Clips, 100 Hand Drive Screws + 5 Start + 5 Finish	Hand Drive Screw	50 Sq Ft
MANTIS396SS-DECPACK	450 Mantis 396SS Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft
MANTIS345SS-DECPACK	450 Mantis 345SS Deck Clips, 500 Hand Drive Screws	Hand Drive Screw	250 Sq Ft

Mantis Black Coated Stainless Steel w/ Pneumatic Nail Screws

Part#	Package Contents	Fastener Type	Coverage
MANTIS396SS-PACK90	90 Mantis 396SS Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Nail Screws	50 Sq Ft
MANTIS345SS-PACK90	90 Mantis 345SS Deck Clips, 100 Nail Screws + 5 Start + 5 Finish	Nail Screws	50 Sq Ft
MANTIS396SS-CPACK	450 Mantis 396SS Deck Clips, 500 Nail Screws	Nail Screws	250 Sq Ft
MANTIS345SS-CPACK	450 Mantis 345SS Deck Clips, 500 Nail Screws	Nail Screws	250 Sq Ft

Mantis Accessories Coated Black Stainless Steel

Part#	Package Contents	Fastener Type	Coverage
MANTISSTARTSS396	25 Mantis 396SS Start Clips w/ Hand Drive Screws	Hand Drive Screws	
MANTISSTARTSS345	25 Mantis 345SS Start Clips w/ Hand Drive Screws	Hand Drive Screws	
MANTISFINSS25	25 Mantis SS Transition Clips for Pic Frame & Repair w/ Hand Drive Screws	Hand Drive Screws	

The Eliminator™ Tool and Ballistic Nail Screws

Part#	Package Contents	Fastener Type	Coverage
MANTISTOOL1	The Mantis™ Pneumatic Fastening Tool w/ EZ Slide Attachment		
PPN-150P	Ballistic Nail Screws 1-1/2" x .113 #1 Sq 34-D Plastic Collated ACQ (500pcs)		

Mantis® Deck Clip System Advantage

5 Precision Fit Profiles for superior holding power.

2 Installation Methods

- **Threaded Fastener** using a traditional drill
- **Pneumatic Fastener** using **Mantis® Installation Tool** for 3X faster installation

30 Year Warranty against loose deck boards

Elevates Deck Boards for better airflow to reduce joist rot





Scan for Installation Video



Scan for more information on Mantis®. Including installation instructions, warranty information, and cross reference chart.

Coyote™ Concealed Deck Fastener w/ Stainless Steel Wood Screws

Part#	Package Contents	Fastener Type	Coverage
COYOTE50	90 Coyote clips w/ pre-inserted Stainless Steel screws for wood framing and bit	Hand Drive Wood Screw	50 Sq Ft
COYOTE250	450 Coyote clips w/ pre-inserted Stainless Steel screws for wood framing and bit	Hand Drive Wood Screw	250 Sq Ft

Coyote™ Concealed Deck Fastener w/ Stainless Steel Self-Drilling Screws

Part#	Package Contents	Fastener Type	Coverage
COYOTE50SF	90 Coyote clips w/ pre-inserted Stainless Steel screws for steel framing and bit	Hand Drive Self-Drilling Screw	50 Sq Ft
COYOTE250SF	450 Coyote clips w/ pre-inserted Stainless Steel screws for steel framing and bit	Hand Drive Self-Drilling Screw	250 Sq Ft



Introducing The Coyote Universal Concealed Deck Fastening System.

Let's take a closer look at how the Coyote Clip is set to change the deck building industry!

- Patent pending aggressive ribs molded into the surface of the clips to help control lateral movement. Independent test data proves 40% greater resistance against lateral movement.
- Stainless steel trim head screws feature powder coated flat black heads and include a Type-17 self-drilling point.
- Driver bits included are original Robertson® # 1 x 2" undersized bit with tapered shank. Undersized bit works perfectly with painted head or coated screws to eliminate driver bit strip out or cam-out.
- 410 Stainless steel self-drilling screws are also available for steel joist applications.
- Automatically spaces the deck boards 3/16" for a professional symmetric look.
- The Coyote Clip fastens a wide variety of decking materials and provides a clean, fastener free look.
- Two convenient pack sizes – COYOTE50 has 90 pcs. of Coyote Clips and will fasten appx. 50 sq. ft. of decking while the COYOTE250 has 450 Coyote Clips will fasten 250 sq. ft. of decking.
- The most affordable hidden deck fastener on the market.



Joist spacing (on center)	Deck Size (sq. ft.)				
	100	200	300	400	500
	Number of Coyote Clips required				
12"	210	441	672	882	1113
16"	175	336	512	672	848

Coyote™ Concealed Deck Fastener w/ Stainless Steel Wood Screws

Part#	Package Contents	Fastener Type	Coverage
HIDDENLINK18	HiddenLink® 1/8" Spacing Coated Steel	Hand Drive Screw	100 Sq Ft
HIDDENLINKSS18	HiddenLink® 1/8" Spacing Stainless Steel	Hand Drive Screw	100 Sq Ft

HIDDEN LINK®



The Hidden Link®

Universal Concealed Deck Fastening System

Easy Installation

The Hidden Link® slides under the fastened deck board.



Fasten the tab of The Hidden Link® to the opposite deck board edge.



Push deck board down to rest on joist, fasten The Hidden Link® to joist.



Benefits

- No visible fasteners on deck board face
- Fasteners that are attached to the joists are hidden by the subsequent deck board
- The Hidden Link® system allows air to flow between the deck boards and the joist, enabling the joists to continually dry out (preventing the acceleration of rot)
- No expensive biscuit cutter required
- No hammering
- Works well with exotic hardwoods and composite decking
- Approx. 100 sq. ft coverage using 5.5" deck boards 16" o.c.
- Screws Included.

The Easiest Clip to Install!



SURE-HOLD™ Fascia Board Fasteners

Part#	Package Contents	Quantity
178FBS100-MAHOGANY	Sure Hold Fascia Board Screws Wafer Head T-20 Star Drive w/ Wings-Mahogany	100
178FBS100-EARTHTONE	Sure Hold Fascia Board Screws Wafer Head T-20 Star Drive w/ Wings-Earthtone	100
178FBS100-GRAYSTONE	Sure Hold Fascia Board Screws Wafer Head T-20 Star Drive w/ Wings-Graystone	100
178FBS100-IPE	Sure Hold Fascia Board Screws Wafer Head T-20 Star Drive w/ Wings-Ipe	100
178FBS100-WHITE	Sure Hold Fascia Board Screws Wafer Head T-20 Star Drive w/ Wings-White	100

SURE-HOLD™ Fascia Board Fastener

Designed Exclusively for Composite Fascia Board



- Easy One-Step Installation
- No Pre-Drilling Required
- Color Matched Heads Provide a Finished Appearance. Five Stock Colors Match Most Fascia.
- 100 Pieces per Package
- T-20 Bit Included

Oversized flat top head design provides increased bearing surface and maximum hole coverage

Aggressive Type-17 starter point drills cleanly and quickly

Cutting wings create an over-sized hole to allow for expansion and contraction



Shadoe® Track Concealed Deck Fasteners

Part#	Package Contents	Quantity
4FTPREPAK1	1" Pack (for deck boards 7/8" to 1-1/4" thick) G185 - 20 pcs/pack	20
4FTPREPAK2	2" Pack (for deck boards thicker than 1-3/8") G185 - 20 pcs/pack	20
4FTPREPAK1SS	1" Pack (for deck boards 7/8" to 1-1/4" thick) 305SS - 20 pcs/pack	20
8FTSTB	8 Foot Shadoe® Track Brown	Each
8FTSTSS	8 Foot Shadoe® Track Stainless Steel	Each
102STN-1	10 x 2" Shadoe® Track Nails Galvanized	1 Pound
102STNSS-1	10 x 2" Shadoe® Track Nails Stainless Steel	1 Pound
78T3DACRO1	10 x 7/8" Pan Head #2 Square Drive T-17 RustGuard™	1 Pound
78T3DACRO3	10 x 7/8" Pan Head #2 Square Drive T-17 RustGuard™	3 Pound
34SST31	10 x 3/4" Pan Head #2 Square Drive T-17 Stainless Steel	1 Pound

SHADOE® TRACK

The Ultimate Deck Fastening System™

Why use the SHADOE® TRACK?

- No Nails or Screws visible on deck surface.
- **LONGER LASTING DECK** - Rot is not allowed to form around fasteners, due to moisture penetration from conventional deck construction.
- No more checks, hammer marks or splinters.
- **SAFER DECKS** - eliminates fastener pop-ups.
- Easy to install.
- **SHADOE® TRACK** holes allow water drainage.
- Make Splices & Butt joints without splitting.
- Heavy duty G185 galvanized track approved for use with ACQ™.
- Now available in powder coated colors and Stainless Steel.
- **SHADOE® TRACK** is backed by a 30 Year Transferable Warranty, guarantees secure deck boards or your money back.



TY-LAN ENTERPRISES INC.
Warrants the SHADOE® TRACK to securely hold your deck boards firmly in place for a period of 30 years or your money refunded. See warranty for details.

It's not the only way to build a deck...
but possibly the best!

SHADOE® TRACK

THE UNDER DECK FASTENING SYSTEM

Sure Drive USA®

S. San Francisco, CA • Conover, NC
Toll Free: (888) 219-1700 (CA) • (866) 767-1850 (NC)
Fax: (650) 873-3356 • Email: sales@suredrive.com
Visit our website: www.suredrive.com



RECOMMENDED FASTENERS		
SHADOE® TRACK DOUBLE HOT DIPPED GALVANIZED		
SHADOE® TRACK NAILS	10 x 2"	5 x 50 mm
SHADOE® TRACK TURBO 3	DECK BOARD THICKNESS	
SCREWS	10 x 3/4" 5 x 20 mm	3/4" - 7/8"
SCREWS	10 x 1" 5 x 25 mm	1" - 1-1/4"
SCREWS	10 x 1-1/4" 5 x 30 mm	1-3/8" - 1-1/2"
SCREWS	10 x 1-1/2" 5 x 35 mm	1-1/2" +



For a longer lasting,
more beautiful deck...
make the right choice!



SHADOE® TRACK

THE UNDER DECK FASTENING SYSTEM

For more great fasteners from The Marmon Construction Fastener Group:

Big Timber Construction Fasteners has a complete line of code compliant construction fasteners which includes Construction Lag Screws, 316 Stainless Steel, Bronze Coated Wood Screws, and more. All Big Timber fasteners are manufactured in ISO 9002 quality certified mills and factories. For more information about Big Timber Construction Fasteners please visit BigTimberFasteners.com or call toll free 1-800-726-4803.



BigTimberFasteners.com

Deerwood Fasteners™ is a leading supplier of High Quality Fasteners manufactured exclusively for woodworking applications. We service our nationwide customer base from our headquarters in Conover, NC and a regional warehouse in California. Our products include Hinge and Hardware screws in a variety of finishes, Zip Drivers (Self drilling, Self-Counter sinking assembly screws), Painted Head Cabinet Installation screws, Decking screws, Face Frame screws, Drawer Front Adjuster Screws and much, much more.



Deerwood.com

Atlas Bolt & Screw, the industry leader, has the widest selection of metal and wood fasteners, closures, venting, sealing, flashing and exterior building performance solutions. We are headquartered in Ashland, Ohio with manufacturing and distribution located in Ohio, Texas, Oregon and North Carolina. "We make the complex simple and the difficult easy."



AtlasFasteners.com

Our Co-Op segment is dedicated to providing superior quality, service and competitive pricing to the Window and Door market. Whether it is carbon steel or stainless steel, painted head or plain, hardware or installation screws, we can help. We offer a variety of head styles, thread lengths, and coatings for numerous applications. Co-Op provides color match for hardware applications (minimums apply) whether it be a special paint color or a plated finish that needs to be matched.



CoopScrew.com



A Marmon Group/Berkshire Hathaway Company

About The Marmon Construction Fastener Group

The Marmon Construction Fastener Group manufactures a wide range of fastening solutions from the simplest drywall screw to engineered structural fasteners. We serve retailers, distributors and manufacturers in the residential home construction, metal building and wood-working industries. Our company owned factories, dedicated suppliers and innovative supply chain and inventory solutions eliminate stock outs and lost sales by providing our customers with high quality, high value and always available fastening solutions.

This group is made up of:



PanAmericanScrew.com



RobertsonScrew.com



Deerwood.com



CoopScrew.com



AtlasFasteners.com



SureDrive.com



TennTex.com



BigTimberFasteners.com

Package Options

Bonus Pack®

This durable clamshell packaging features color coded labels for easy identification. These are great for small jobs and infrequently used fasteners.



3 Pound Boxes

This package size is our most popular among the most common fastener sizes and types. This unique package size is great in minimizing end user investment.



1/2 LB Shop Pack®

This durable reclosable clamshell packaging features a self-leveling hanger strip for easy merchandising. These are great for small jobs and finishing larger jobs.



5 Pound Boxes

This is our newest packaging size that is great for medium to large size jobs. This package size features a hinged reclosable lid that can easily be transferred between jobs.



1 GAL. / DecPak™

This is a favorite among professional contractors. With its plastic body and re-sealable lid it is resistant to most of the elements. They are also great to store other materials when finished.



1 Pound Boxes

This popular package size is a must have for all fastener types and sizes. With its small front profile it is great for merchandising.



Bulk

This is the best option for heavy fastener users. With its economical packaging this offers the lowest price per fastener.



Actual Screw Sample for easy identification and eliminates the need for opening boxes

Driver Bit Included in every box for the best drive experience.



Shrink Wrapped for security and durability.

Barcoded for fast and easy checkout.

Terms and Conditions

FREIGHT

All freight charges are pre-paid to one destination in the continental United States on orders meeting predetermined order amounts. Pre-paid freight is calculated by geographic shipping location and is based on an average \$2,000 minimum order. On all pre-paid freight orders Sure Drive USA® reserves the right to use our carrier of choice. Certain areas may be serviced by our own delivery trucks depending on geographic location.

MINIMUM ORDERS

Our minimum order for packaged product is \$500, for DecPak™ and Bulk items our minimum is \$1000.

PAYMENT TERMS

Sure Drive USA®'s standard payment terms are NET 30 Days from date of invoice payable in U.S. funds. If purchases are deemed uncollectable then all applicable charges including finance charges, attorney fees, court costs and collection fees will be the sole responsibility of the purchaser. Accounts with outstanding invoices over 60 days will be placed on C.O.D.

RETURNS

Product returned for credit will be accepted under the following terms and conditions:

- a. Product must have been purchased in the past 90 days.
- b. Prior to returning and product a RGA (Return Goods Authorization) must be received from a Sure Drive USA® customer service representative.
- c. All transportation or freight charges must be paid by the purchaser unless authorized by a Sure Drive USA® customer service representative.
- d. All returns are subject to a 20% minimum restocking fee.
- e. All product received by Sure Drive USA® without prior approval or RGA number is subject to be returned freight collect to the original purchaser.
- f. All returned product must be in good saleable condition.

BACK ORDERS

In the unlikely event of a back order, the back order will be shipped as soon as possible at the original invoiced price. Any back order more than 90 days old will be automatically cancelled.

WARRANTY

Sure Drive USA® stands behind all the products we sell. Any product which we determine to be defective in material or workmanship will be replaced within (60) days of original purchase. Sure Drive USA® shall not be liable for any injury, loss or damage resulting from the use of, misuse of, negligence, accident or inability to use any Sure Drive USA® product. All test data and recommendations are based on independent laboratory tests. Sure Drive USA® makes no warranty or merchantability or fitness for any particular purposes or any warranty expressed or implied. Sure Drive USA®'s liability is limited to the cost of the defective product only. No other warranty is implied unless otherwise noted for a specific product. Because applications vary as well as installation procedures, environmental conditions and other factors, the end user is solely responsible for determining the proper fastener for their applications as our recommendations are only guidelines for general construction.

www.SureDrive.com



NORTH CAROLINA

634 Reese Drive S.W
Conover, NC 28613
PH 800-438-5146
FAX 828-466-0070
Office Hours: (M-F) 8-5 EST

CALIFORNIA

2039 American Avenue
Hayward, CA 94545
PH 888-219-1700
FAX 510-783-7512
Office Hours: (M-F) 7:30-4:30 PST

sales@suredrive.com



A Marmon Group/Berkshire Hathaway Company • Pan American Screw LLC.

S
I
N
C
E
1
9
7
8